Author Index

Aoyagi, M., Kiren, T., Kim, Y., Suzuki, Y., Fuse, T. and Koike, Y.
Optimal modulation frequency for amplitude-modulation following response in young children during sleep (65) 253
Archer, J.R., see Erway, L.C. (65) 125
Arumäe, U., see Ylikoski, J. (65) 69

Baird, R.A., Schuff, N.R. and Bancroft, J.
Regional differences in lectin binding patterns of vestibular hair cells (65) 151
Baird, R.A., Torres, M.A. and Schuff, N.R.
Hair cell regeneration in the bullfrog vestibular otolith organs following aminoglycoside toxicity (65) 164
Bancroft, J., see Baird, R.A. (65) 151
Bennett, M.L., see Conlee, J.W. (65) 141
Berlin, C.I., Hood, L.J., Cecola, R.P., Jackson, D.F. and Szabo, P.
Does Type I afferent neuron dysfunction reveal itself through lack of efferent suppression? (65) 40

Carrell, T., see Kraus, N. (65) 118
Cecil, T., see Schweitzer, L. (65) 240
Cecola, R.P., see Berlin, C.I. (65) 40
Collet, L., see Moulin, A. (65) 193
Collet, L., see Moulin, A. (65) 216
Conlee, J.W. and Bennett, M.L.
Turn-specific differences in the endocochlear potential between albino and pigmented guinea pigs (65) 141

Davies, W.E., see Harding, N.J. (65) 211
Down, K.E., see Mackersie, C. (65) 61
Duclaux, R., see Moulin, A. (65) 193

Eggermont, J.J.
Differential effects of age on click-rate and amplitude modulation-frequency coding in primary auditory cortex of the cat (65) 175
Erway, L.C., Willott, J.F., Archer, J.R. and Harrison, D.E.
Genetics of age-related hearing loss in mice: I. Inbred and F1 hybrid strains (65) 125

Fan, L.F., see Freeman, D.M. (65) 83
Freeman, D.M., Hendrix, D.K., Shah, D., Fan, L.F. and Weiss, T.F.
Effect of lymph composition on an in vitro preparation of the alligator lizard cochlea (65) 83
Fritzsch, B. and Nichols, D.H.
DiI reveals a prenatal arrival of efferents at the differentiating otocyst of mice (65) 51
Fujimoto, T., see Nishida, Y. (65) 274
Fuse, T., see Aoyagi, M. (65) 253

Geisler, C.D.
A model of stereociliary tip-link stretches (65) 79
Greenwood, D.D.
The intensitive DL of tones: Dependence of signal/masker ratio on tone level and on spectrum of added noise (65) 1

Harding, N.J. and Davies, W.E.
Cellular localisation of taurine in the organ of Corti (65) 211
Harrison, D.E., see Erway, L.C. (65) 125
Henderson, D., see Subramaniam, M. (65) 234
Hendrix, D.K., see Freeman, D.M. (65) 83
Honjo, I., see Nishida, Y. (65) 274
Hood, L.J., see Berlin, C.I. (65) 40

Jackson, D.F., see Berlin, C.I. (65) 40

Kim, Y., see Aoyagi, M. (65) 253
Kiren, T., see Aoyagi, M. (65) 253
Koch, D.B., see Kraus, N. (65) 118
Koike, Y., see Aoyagi, M. (65) 253
Kraus, N., Micco, A.G., Koch, D.B., McGee, T., Carrell, T., Sharma, A., Wiet, R.J. and Weingarten, C.Z.
The mismatch negativity cortical evoked potential elicited by speech in cochlear-implant users (65) 118

Mackersie, C., Down, K.E. and Stapells, D.R.
Pure-tone masking profiles for human auditory brainstem and middle latency responses (65) 61
McGee, T., see Kraus, N. (65) 118
Micco, A.G., see Kraus, N. (65) 118
Morgon, A., see Moulin, A. (65) 216
Moshnyakov, M., see Ylikoski, J. (65) 69
Moulin, A., Collet, L. and Duclaux, R.
Contralateral auditory stimulation alters acoustic distortion products in humans (65) 193
Moulin, A., Collet, L., Veuillet, E. and Morgon, A.
Interrelations between transiently evoked otoacoustic emissions, spontaneous otoacoustic emissions and acoustic distortion products in normally hearing subjects (65) 216

Nichols, D.H., see Fritzsch, B. (65) 51
Nishida, Y., Fujimoto, T., Takagi, A., Honjo, I. and Ogawa, K.
Fodrin is a constituent of the cortical lattice in outer hair cells of the guinea pig cochlea: Immunocytochemical evidence (65) 274

Ogawa, K., see Nishida, Y. (65) 274

Palgi, J., see Ylikoski, J. (65) 69
Park, T.J., see Pollak, G.D. (65) 99
Pirvola, U., see Ylikoski, J. (65) 69
Platt, C.
Zebrafish inner ear sensory surfaces are similar to those in goldfish (65) 133
Pollak, G.D. and Park, T.J.
The effects of GABAergic inhibition on monaural response properties of neurons in the mustache bat's inferior colliculus (65) 99

Saarma, M., see Ylikoski, J. (65) 69
Schuff, N.R., see Baird, R.A. (65) 151
Schuff, N.R., see Baird, R.A. (65) 164
Schulte, B.A.
Immunohistochemical localization of intracellular Ca-ATPase in outer hair cells, neurons and fibrocytes in the adult and developing inner ear (65) 262
Schweitzer, L., Cecil, T. and Walsh, E.J.
Development of GAD-immunoreactivity in the dorsal cochlear nucleus of the hamster and cat: light and electron microscopic observations (65) 240

Shah, D., see Freeman, D.M. (65) 83
Sharma, A., see Kraus, N. (65) 118
Spongr, V.P., see Subramaniam, M. (65) 234
Stapells, D.R., see Mackersie, C. (65) 61
Subramaniam, M., Henderson, D. and Spongr, V.P.
Protection from noise induced hearing loss: Is prolonged 'conditioning' necessary? (65) 234
Suzuki, Y., see Aoyagi, M. (65) 253
Szabo, P., see Berlin, C.I. (65) 40

Takagi, A., see Nishida, Y. (65) 274
Torres, M.A., see Baird, R.A. (65) 164

Veuillet, E., see Moulin, A. (65) 216

Walsh, E.J., see Schweitzer, L. (65) 240
Weingarten, C.Z., see Kraus, N. (65) 118
Weiss, T.F., see Freeman, D.M. (65) 83
Wiet, R.J., see Kraus, N. (65) 118
Willott, J.F., see Erway, L.C. (65) 125

Ylikoski, J., Pirvola, U., Moshnyakov, M., Palgi, J., Arumäe, U. and Saarma, M.
Expression patterns of neurotrophin and their receptor mRNAs in the rat inner ear (65) 69

Subject Index

Absent auditory brainstem response
Otoacoustic emissions; Contralateral suppression; Afferent auditory system; Efferent auditory system; Normal pure tone sensitivity; Absent masking level difference; Absent middle ear muscle reflexes (Berlin, C.I. (65) 40)

Absent masking level difference
Otoacoustic emissions; Contralateral suppression; Afferent auditory system; Efferent auditory system; Absent auditory brainstem response; Normal pure tone sensitivity; Absent middle ear muscle reflexes (Berlin, C.I. (65) 40)

Absent middle ear muscle reflexes
Otoacoustic emissions; Contralateral suppression; Afferent auditory system; Efferent auditory system; Absent auditory brainstem response; Normal pure tone sensitivity; Absent masking level difference (Berlin, C.I. (65) 40)

Acoustic distortion products
Otoacoustic emissions; Medial efferent cochlear system (Moulin, A. (65) 193)

Spontaneous otoacoustic emissions; Click-evoked otoacoustic emissions; Active cochlear mechanisms (Moulin, A. (65) 216)

Active cochlear mechanisms
Spontaneous otoacoustic emissions; Click-evoked otoacoustic emissions; Acoustic distortion products (Moulin, A. (65) 216)

Afferent auditory system
Otoacoustic emissions; Contralateral suppression; Efferent auditory system; Absent auditory brainstem response; Normal pure tone sensitivity; Absent masking level difference; Absent middle ear muscle reflexes (Berlin, C.I. (65) 40)

Age effect
Amplitude-modulation following response; Modulation frequency; Effect of sleep; Phase spectral analysis (Aoyagi, M. (65) 253)

Albinism
Endocochlear potential; Inner ear; Melanin pigmentation; Stria vascularis (Conlee, J.W. (65) 141)

Amplitude modulation
Cat; Primary auditory cortex; Repetition rate; Temporal modulation transfer functions; Maturation (Eggermont, J.J. (65) 175)

Amplitude-modulation following response
Modulation frequency; Age effect; Effect of sleep; Phase spectral analysis (Aoyagi, M. (65) 253)

Auditory
Cochlear nucleus; Development; Glutamic acid decarboxylase; GABA (Schweitzer, L. (65) 240)

Auditory brainstem response
Middle latency response; Frequency selectivity; Human (Mackersie, C. (65) 61)

Auditory evoked brain response
Genetics; Inbred mice; F1 hybrids; Presbycusis (Erway, L.C. (65) 125)

Auditory evoked potentials
Cochlear implants; Mismatch negativity; Event-related potentials (Kraus, N. (65) 118)

Brain-derived neurotrophic factor
Neurotrophin-3; Organ of Corti; Vestibular organs; Cochleovestibular neurons; Hybridization, in situ (Ylikoski, J. (65) 69)

Bullfrog
Lectins; Glycoconjugates; Otolith organs; Semicircular canals; Guinea pig (Baird, R.A. (65) 151)

Ototoxicity; Hair cell; Regeneration; Otolith organs (Baird, R.A. (65) 164)

Ca-ATPase
Cochlea; Calcium; Inner ear; Outer hair cells; Immunohistochemistry; Ion transport; Motility (Schulte, B.A. (65) 262)

Calcium
Cochlea; Inner ear; Outer hair cells; Immunohistochemistry; Ca-ATPase; Ion transport; Motility (Schulte, B.A. (65) 262)

Cat
Primary auditory cortex; Amplitude modulation; Repetition rate; Temporal modulation transfer functions; Maturation (Eggermont, J.J. (65) 175)

Centrifugal vestibular fibers
Olivocochlear efferents; Vestibular efferents; Motor neuron development; Development (Fritzsch, B. (65) 51)

Ciliary motion
Model; Tip-link stretches; Stereocilia; Vertebrates (Geisler, C.D. (65) 79)

Click-evoked otoacoustic emissions
Spontaneous otoacoustic emissions; Acoustic distortion products; Active cochlear mechanisms (Moulin, A. (65) 216)

Cochlea
Intensity discrimination; Masking; TTS; Neural patterns (Greenwood, D.D. (65) 1)

In vitro preparation; Lymph composition; Hair cells (Freeman, D.M. (65) 83)

Calcium; Inner ear; Outer hair cells; Immunohistochemistry; Ca-ATPase; Ion transport; Motility (Schulte, B.A. (65) 262)

Fodrin; Cortical lattice; Outer hair cell; Cytoskeleton (Nishida, Y. (65) 274)

Cochlear implants
Auditory evoked potentials; Mismatch negativity; Event-related potentials (Kraus, N. (65) 118)

Cochlear nucleus
Auditory; Development; Glutamic acid decarboxylase; GABA (Schweitzer, L. (65) 240)

Cochleovestibular neurons
Neurotrophin-3; Brain-derived neurotrophic factor; Organ of Corti; Vestibular organs; Hybridization, in situ (Ylikoski, J. (65) 69)

'Conditioning'
Number of exposures; Threshold shift (Subramaniam, M. (65) 234)

Confocal microscopy
Taurine; Guinea pig; Outer hair cell (Harding, N.J. (65) 211)

Contralateral suppression
Otoacoustic emissions; Afferent auditory system; Efferent auditory system; Absent auditory brainstem response; Normal pure tone sensitivity; Absent masking level difference; Absent middle ear muscle reflexes (Berlin, C.I. (65) 40)

Cortical lattice
Fodrin; Outer hair cell; Cochlea; Cytoskeleton (Nishida, Y. (65) 274)

Cytoskeleton
Fodrin; Cortical lattice; Outer hair cell; Cochlea (Nishida, Y. (65) 274)

Development
Olivocochlear efferents; Vestibular efferents; Motor neuron development; Centrifugal vestibular fibers (Fritzsch, B. (65) 51)

Auditory; Cochlear nucleus; Glutamic acid decarboxylase; GABA (Schweitzer, L. (65) 240)

Effect of sleep
Amplitude-modulation following response; Modulation frequency; Age effect; Phase spectral analysis (Aoyagi, M. (65) 253)

Efferent auditory system
Otoacoustic emissions; Contralateral suppression; Afferent auditory system; Absent auditory brainstem response; Normal pure tone sensitivity; Absent masking level difference; Absent middle ear muscle reflexes (Berlin, C.I. (65) 40)

Endocochlear potential
Albinism; Inner ear; Melanin pigmentation; Stria vascularis (Conlee, J.W. (65) 141)

Event-related potentials
Cochlear implants; Auditory evoked potentials; Mismatch negativity (Kraus, N. (65) 118)

F1 hybrids
Genetics; Inbred mice; Presbycusis; Auditory evoked brain response (Erway, L.C. (65) 125)

Fodrin
Cortical lattice; Outer hair cell; Cochlea; Cytoskeleton (Nishida, Y. (65) 274)

Frequency selectivity
Auditory brainstem response; Middle latency response; Human (Mackersie, C. (65) 61)

GABA
Auditory; Cochlear nucleus; Development; Glutamic acid decarboxylase (Schweitzer, L. (65) 240)

GABAergic inhibition
Monaural response properties; Inferior colliculus; Mustache bat (Pollak, G.D. (65) 99)

Genetics
Inbred mice; F1 hybrids; Presbycusis; Auditory evoked brain response (Erway, L.C. (65) 125)

Glutamic acid decarboxylase
Auditory; Cochlear nucleus; Development; GABA (Schweitzer, L. (65) 240)

Glycoconjugates
Lectins; Otolith organs; Semicircular canals; Bullfrog; Guinea pig (Baird, R.A. (65) 151)

Guinea pig
Lectins; Glycoconjugates; Otolith organs; Semicircular canals; Bullfrog (Baird, R.A. (65) 151)

Taurine; Outer hair cell; Confocal microscopy (Harding, N.J. (65) 211)

Hair cell
Inner ear; Otolith; Teleost; Zebrafish (Platt, C. (65) 133)

Ototoxicity; Regeneration; Otolith organs; Bullfrog (Baird, R.A. (65) 164)

Hair cells
Cochlea; In vitro preparation; Lymph composition (Freeman, D.M. (65) 83)

Human
Auditory brainstem response; Middle latency response; Frequency selectivity (Mackersie, C. (65) 61)

Hybridization, in situ
Neurotrophin-3; Brain-derived neurotrophic factor; Organ of Corti; Vestibular organs; Cochleovestibular neurons (Ylikoski, J. (65) 69)

Immunohistochemistry
Cochlea; Calcium; Inner ear; Outer hair cells; Ca-ATPase; Ion transport; Motility (Schulte, B.A. (65) 262)

Inbred mice
Genetics; F1 hybrids; Presbycusis; Auditory evoked brain response (Erway, L.C. (65) 125)

Inferior colliculus
GABAergic inhibition; Monaural response properties; Mustache bat (Pollak, G.D. (65) 99)

Inner ear
Hair cell; Otolith; Teleost; Zebrafish (Platt, C. (65) 133)

Albinism; Endocochlear potential; Melanin pigmentation; Stria vascularis (Conlee, J.W. (65) 141)

Cochlea; Calcium; Outer hair cells; Immunohistochemistry; Ca-ATPase; Ion transport; Motility (Schulte, B.A. (65) 262)

Intensity discrimination
Masking; TTS; Cochlea; Neural patterns (Greenwood, D.D. (65) 1)

In vitro preparation
Cochlea; Lymph composition; Hair cells (Freeman, D.M. (65) 83)

Ion transport
Cochlea; Calcium; Inner ear; Outer hair cells; Immunohistochemistry; Ca-ATPase; Motility (Schulte, B.A. (65) 262)

Lectins
Glycoconjugates; Otolith organs; Semicircular canals; Bullfrog; Guinea pig (Baird, R.A. (65) 151)

Lymph composition
Cochlea; In vitro preparation; Hair cells (Freeman, D.M. (65) 83)

Masking
Intensity discrimination; TTS; Cochlea; Neural patterns (Greenwood, D.D. (65) 1)

Maturation
Cat; Primary auditory cortex; Amplitude modulation; Repetition rate; Temporal modulation transfer functions (Eggermont, J.J. (65) 175)

Medial efferent cochlear system
Otoacoustic emissions; Acoustic distortion products (Moulin, A. (65) 193)

Melanin pigmentation
Albinism; Endocochlear potential; Inner ear; Stria vascularis (Conlee, J.W. (65) 141)

Middle latency response
Auditory brainstem response; Frequency selectivity; Human (Mackersie, C. (65) 61)

Mismatch negativity
Cochlear implants; Auditory evoked potentials; Event-related potentials (Kraus, N. (65) 118)

Model
Tip-link stretches; Stereocilia; Ciliary motion; Vertebrates (Geisler, C.D. (65) 79)

Modulation frequency
Amplitude-modulation following response; Age effect; Effect of sleep; Phase spectral analysis (Aoyagi, M. (65) 253)

Monaural response properties
GABAergic inhibition; Inferior colliculus; Mustache bat (Pollak, G.D. (65) 99)

Motility
Cochlea; Calcium; Inner ear; Outer hair cells; Immunohistochemistry; Ca-ATPase; Ion transport (Schulte, B.A. (65) 262)

Motor neuron development
Olivocochlear efferents; Vestibular efferents; Centrifugal vestibular fibers; Development (Fritzsch, B. (65) 51)

Mustache bat
GABAergic inhibition; Monaural response properties; Inferior colliculus (Pollak, G.D. (65) 99)

Neural patterns
Intensity discrimination; Masking; TTS; Cochlea (Greenwood, D.D. (65) 1)

Neurotrophin-3
Brain-derived neurotrophic factor; Organ of Corti; Vestibular organs; Cochleovestibular neurons; Hybridization, in situ (Ylikoski, J. (65) 69)

Normal pure tone sensitivity
Otoacoustic emissions; Contralateral suppression; Afferent auditory system; Efferent auditory system; Absent auditory brainstem response; Absent masking level difference; Absent middle ear muscle reflexes (Berlin, C.I. (65) 40)

Number of exposures
'Conditioning'; Threshold shift (Subramaniam, M. (65) 234)

Olivocochlear efferents
Vestibular efferents; Motor neuron development; Centrifugal vestibular fibers; Development (Fritzsch, B. (65) 51)

Organ of Corti
Neurotrophin-3; Brain-derived neurotrophic factor; Vestibular organs; Cochleovestibular neurons; Hybridization, in situ (Ylikoski, J. (65) 69)

Otoacoustic emissions
Contralateral suppression; Afferent auditory system; Efferent auditory system; Absent auditory brainstem response; Normal pure tone sensitivity; Absent masking level difference; Absent middle ear muscle reflexes (Berlin, C.I. (65) 40)

Acoustic distortion products; Medial efferent cochlear system (Moulin, A. (65) 193)

Otolith
Hair cell; Inner ear; Teleost; Zebrafish (Platt, C. (65) 133)

Otolith organs
Lectins; Glycoconjugates; Semicircular canals; Bullfrog; Guinea pig (Baird, R.A. (65) 151)

Ototoxicity; Hair cell; Regeneration; Bullfrog (Baird, R.A. (65) 164)

Ototoxicity
Hair cell; Regeneration; Otolith organs; Bullfrog (Baird, R.A. (65) 164)

Outer hair cell
Taurine; Guinea pig; Confocal microscopy (Harding, N.J. (65) 211)

Fodrin; Cortical lattice; Cochlea; Cytoskeleton (Nishida, Y. (65) 274)

Outer hair cells
Cochlea; Calcium; Inner ear; Immunohistochemistry; Ca-ATPase; Ion transport; Motility (Schulte, B.A. (65) 262)

Phase spectral analysis
Amplitude-modulation following response; Modulation frequency; Age effect; Effect of sleep (Aoyagi, M. (65) 253)

Presbycusis
Genetics; Inbred mice; F1 hybrids; Auditory evoked brain response (Erway, L.C. (65) 125)

Primary auditory cortex
Cat; Amplitude modulation; Repetition rate; Temporal modulation transfer functions; Maturation (Eggermont, J.J. (65) 175)

Regeneration
Ototoxicity; Hair cell; Otolith organs; Bullfrog (Baird, R.A. (65) 164)

Repetition rate
Cat; Primary auditory cortex; Amplitude modulation; Temporal modulation transfer functions; Maturation (Eggermont, J.J. (65) 175)

Semicircular canals
Lectins; Glycoconjugates; Otolith organs; Bullfrog; Guinea pig (Baird, R.A. (65) 151)

Spontaneous otoacoustic emissions
Click-evoked otoacoustic emissions; Acoustic distortion products; Active cochlear mechanisms (Moulin, A. (65) 216)

Stereocilia
Model; Tip-link stretches; Ciliary motion; Vertebrates (Geisler, C.D. (65) 79)

Stria vascularis
Albinism; Endocochlear potential; Inner ear; Melanin pigmentation (Conlee, J.W. (65) 141)

Taurine
Guinea pig; Outer hair cell; Confocal microscopy (Harding, N.J. (65) 211)

Teleost
Hair cell; Inner ear; Otolith; Zebrafish (Platt, C. (65) 133)

Temporal modulation transfer functions
Cat; Primary auditory cortex; Amplitude modulation; Repetition rate; Maturation (Eggermont, J.J. (65) 175)

Threshold shift
'Conditioning'; Number of exposures (Subramaniam, M. (65) 234)

Tip-link stretches
Model; Stereocilia; Ciliary motion; Vertebrates (Geisler, C.D. (65) 79)

TTS
Intensity discrimination; Masking; Cochlea; Neural patterns (Greenwood, D.D. (65) 1)

Vertebrates
Model; Tip-link stretches; Stereocilia; Ciliary motion (Geisler, C.D. (65) 79)

Vestibular efferents
Olivocochlear efferents; Motor neuron development; Centrifugal vestibular fibers; Development (Fritzsch, B. (65) 51)

Vestibular organs
Neurotrophin-3; Brain-derived neurotrophic factor; Organ of Corti; Cochleovestibular neurons; Hybridization, in situ (Ylikoski, J. (65) 69)

Zebrafish
Hair cell; Inner ear; Otolith; Teleost (Platt, C. (65) 133)